

REPORT NO.
C22129-72000

ACCOUNT NUMBER
03703

A & L Canada Laboratories Inc.

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:TULSI ENTERPRISE LTD
BOX 31016 SUNSHINE VILLAGE
DELTA, BC V4E 3M9

ATTN:Dinesh
Phone:604-218-8567

CERTIFICATE OF ANALYSIS

PAGE: 1 / 5

PROJECT NO:
PO#:PORTEL
LAB NUMBER:1297201
SAMPLE ID:OPTIC FOLIAR PORTEL

SAMPLE MATRIX:LIQUID
DATE SAMPLED:NONE GIVEN
DATE RECEIVED:2022-05-09
DATE REPORTED:
DATE PRINTED:2022-05-11

PARAMETER	RESULT	UNIT	DETECTION LIMIT	METHOD REFERENCE
Pesticide Scan				
Abamectin	BDL	ppb	10.0	LC-MS/MS
Acephate	BDL	ppb	10.0	LC-MS/MS
Acequinocyl	BDL	ppb	10.0	LC-MS/MS
Acetamiprid	BDL	ppb	10.0	LC-MS/MS
Aldicarb	BDL	ppb	10.0	LC-MS/MS
Allethrin	BDL	ppb	10.0	LC-MS/MS
Azadirachtin	BDL	ppb	10.0	LC-MS/MS
Azoxystrobin	BDL	ppb	10.0	LC-MS/MS
Benzovindiflupyr	BDL	ppb	10.0	LC-MS/MS
Bifenazate	BDL	ppb	10.0	LC-MS/MS
Bifenthrin	BDL	ppb	10.0	LC-MS/MS
Boscalid	BDL	ppb	10.0	LC-MS/MS
Buprofezin	BDL	ppb	10.0	LC-MS/MS
Carbaryl	BDL	ppb	10.0	LC-MS/MS
Carbofuran	BDL	ppb	10.0	LC-MS/MS
Chlorantraniliprole	BDL	ppb	10.0	LC-MS/MS
Chlorphenapyr	BDL	ppb	10.0	GC-MS/MS
Chlorpyrifos	BDL	ppb	10.0	LC-MS/MS
Clofentezine	BDL	ppb	10.0	LC-MS/MS
Clothianidin	BDL	ppb	10.0	LC-MS/MS
Coumaphos	BDL	ppb	10.0	LC-MS/MS
Cyantraniliprole	BDL	ppb	10.0	LC-MS/MS
Cyfluthrin	BDL	ppb	10.0	GC-MS/MS
Cypermethrin	BDL	ppb	10.0	GC-MS/MS

Results reported on a as is basis

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C22129-72000

Results Authorized By:

Haifeng Song, Ph.D., C.Chem.
Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca
Additional information available upon request

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

REPORT NO.
C22129-72000

ACCOUNT NUMBER
03703

A & L Canada Laboratories Inc.

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:TULSI ENTERPRISE LTD
BOX 31016 SUNSHINE VILLAGE
DELTA, BC V4E 3M9

ATTN:Dinesh
Phone:604-218-8567

CERTIFICATE OF ANALYSIS

PAGE: 2 / 5

PROJECT NO:
PO#:PORTEL
LAB NUMBER:1297201
SAMPLE ID:OPTIC FOLIAR PORTEL

SAMPLE MATRIX:LIQUID
DATE SAMPLED:NONE GIVEN
DATE RECEIVED:2022-05-09
DATE REPORTED:
DATE PRINTED:2022-05-11

PARAMETER	RESULT	UNIT	DETECTION LIMIT	METHOD REFERENCE
Pesticide Scan				
Cyprodinil	BDL	ppb	10.0	LC-MS/MS
Daminozide	BDL	ppb	10.0	LC-MS/MS
Deltamethrin	BDL	ppb	10.0	LC-MS/MS
Diazinon	BDL	ppb	10.0	LC-MS/MS
Dichlorvos	BDL	ppb	10.0	LC-MS/MS
Dimethoate	BDL	ppb	10.0	LC-MS/MS
Dimethomorph	BDL	ppb	10.0	LC-MS/MS
Dinotefuran	BDL	ppb	10.0	LC-MS/MS
Dodemorph	BDL	ppb	10.0	LC-MS/MS
Endosulfan sulfate	BDL	ppb	10.0	GC-MS/MS
Endosulfan-alpha	BDL	ppb	10.0	GC-MS/MS
Endosulfan-beta	BDL	ppb	10.0	GC-MS/MS
Ethoprophos	BDL	ppb	10.0	LC-MS/MS
Etofenprox	BDL	ppb	10.0	LC-MS/MS
Etoxazole	BDL	ppb	10.0	LC-MS/MS
Etridiazole	BDL	ppb	10.0	GC-MS/MS
Fenoxycarb	BDL	ppb	10.0	LC-MS/MS
Fenpyroximate	BDL	ppb	10.0	LC-MS/MS
Fensulfothion	BDL	ppb	10.0	LC-MS/MS
Fenthion	BDL	ppb	10.0	GC-MS/MS
Fenvalerate	BDL	ppb	10.0	LC-MS/MS
Fipronil	BDL	ppb	10.0	LC-MS/MS
Fonicamid	BDL	ppb	10.0	LC-MS/MS
Fludioxonil	BDL	ppb	10.0	LC-MS/MS

Results reported on a as is basis

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C22129-72000

Results Authorized By:

Haifeng Song, Ph.D., C.Chem.
Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca
Additional information available upon request

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

REPORT NO.
C22129-72000

ACCOUNT NUMBER
03703

A & L Canada Laboratories Inc.

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:TULSI ENTERPRISE LTD
BOX 31016 SUNSHINE VILLAGE
DELTA, BC V4E 3M9

ATTN:Dinesh
Phone:604-218-8567

CERTIFICATE OF ANALYSIS

PAGE: 3 / 5

PROJECT NO:
PO#:PORTEL
LAB NUMBER:1297201
SAMPLE ID:OPTIC FOLIAR PORTEL

SAMPLE MATRIX:LIQUID
DATE SAMPLED:NONE GIVEN
DATE RECEIVED:2022-05-09
DATE REPORTED:
DATE PRINTED:2022-05-11

PARAMETER	RESULT	UNIT	DETECTION LIMIT	METHOD REFERENCE
Pesticide Scan				
Fluopyram	BDL	ppb	10.0	LC-MS/MS
Hexythiazox	BDL	ppb	10.0	LC-MS/MS
Imazalil	BDL	ppb	10.0	LC-MS/MS
Imidacloprid	BDL	ppb	10.0	LC-MS/MS
Iprodione	BDL	ppb	10.0	LC-MS/MS
Kinoprene	BDL	ppb	10.0	GC-MS/MS
Kresoxim-methyl	BDL	ppb	10.0	LC-MS/MS
Malathion	BDL	ppb	10.0	LC-MS/MS
Metalaxyl	BDL	ppb	10.0	LC-MS/MS
Methiocarb	BDL	ppb	10.0	LC-MS/MS
Methomyl	BDL	ppb	10.0	LC-MS/MS
Methoprene	BDL	ppb	10.0	LC-MS/MS
Mevinphos	BDL	ppb	10.0	LC-MS/MS
MGK-264	BDL	ppb	10.0	GC-MS/MS
Myclobutanil	BDL	ppb	10.0	LC-MS/MS
Naled	BDL	ppb	10.0	LC-MS/MS
Novaluron	BDL	ppb	10.0	LC-MS/MS
Oxamyl	BDL	ppb	10.0	LC-MS/MS
Paclobutrazol	BDL	ppb	10.0	LC-MS/MS
Parathion-methyl	BDL	ppb	10.0	GC-MS/MS
Permethrin	BDL	ppb	10.0	LC-MS/MS
Phenothrin	BDL	ppb	10.0	LC-MS/MS
Phosmet	BDL	ppb	10.0	LC-MS/MS
Piperonyl Butoxide	BDL	ppb	10.0	LC-MS/MS

Results reported on a as is basis

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C22129-72000

Results Authorized By:

Haifeng Song, Ph.D., C.Chem.
Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca
Additional information available upon request

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

REPORT NO.
C22129-72000

ACCOUNT NUMBER
03703

A & L Canada Laboratories Inc.

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:TULSI ENTERPRISE LTD
BOX 31016 SUNSHINE VILLAGE
DELTA, BC V4E 3M9

ATTN:Dinesh
Phone:604-218-8567

CERTIFICATE OF ANALYSIS

PAGE: 4 / 5

PROJECT NO:
PO#:PORTEL
LAB NUMBER:1297201
SAMPLE ID:OPTIC FOLIAR PORTEL

SAMPLE MATRIX:LIQUID
DATE SAMPLED:NONE GIVEN
DATE RECEIVED:2022-05-09
DATE REPORTED:
DATE PRINTED:2022-05-11

PARAMETER	RESULT	UNIT	DETECTION LIMIT	METHOD REFERENCE
Pesticide Scan				
Pirimicarb	BDL	ppb	10.0	LC-MS/MS
Prallethrin	BDL	ppb	10.0	LC-MS/MS
Propiconazole	BDL	ppb	10.0	LC-MS/MS
Propoxur	BDL	ppb	10.0	LC-MS/MS
Pyraclostrobin	BDL	ppb	10.0	LC-MS/MS
Pyrethrins	BDL	ppb	10.0	LC-MS/MS
Pyridaben	BDL	ppb	10.0	LC-MS/MS
Quintozene	BDL	ppb	10.0	GC-MS/MS
Resmethrin	BDL	ppb	10.0	LC-MS/MS
Spinetoram	BDL	ppb	10.0	LC-MS/MS
Spinosad	BDL	ppb	10.0	LC-MS/MS
Spirodiclofen	BDL	ppb	10.0	LC-MS/MS
Spiromesifen	BDL	ppb	10.0	LC-MS/MS
Spirotetramat	BDL	ppb	10.0	LC-MS/MS
Spiroxamine	BDL	ppb	10.0	LC-MS/MS
Tebuconazole	BDL	ppb	10.0	LC-MS/MS
Tebufenozide	BDL	ppb	10.0	LC-MS/MS
Teflubenzuron	BDL	ppb	10.0	LC-MS/MS
Tetrachlorvinphos	BDL	ppb	10.0	LC-MS/MS
Tetramethrin	BDL	ppb	10.0	LC-MS/MS
Thiacloprid	BDL	ppb	10.0	LC-MS/MS
Thiamethoxam	BDL	ppb	10.0	LC-MS/MS
Thiophanate-methyl	BDL	ppb	10.0	LC-MS/MS
Trifloxystrobin	BDL	ppb	10.0	LC-MS/MS

Results reported on a as is basis

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C22129-72000

Results Authorized By:

Haifeng Song, Ph.D., C.Chem.
Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca
Additional information available upon request

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

REPORT NO.
C22129-72000

ACCOUNT NUMBER
03703

A & L Canada Laboratories Inc.

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:TULSI ENTERPRISE LTD
BOX 31016 SUNSHINE VILLAGE
DELTA, BC V4E 3M9

ATTN:Dinesh
Phone:604-218-8567

CERTIFICATE OF ANALYSIS

PAGE: 5 / 5

PROJECT NO:
PO#:PORTEL
LAB NUMBER:1297201
SAMPLE ID:OPTIC FOLIAR PORTEL

SAMPLE MATRIX:LIQUID
DATE SAMPLED:NONE GIVEN
DATE RECEIVED:2022-05-09
DATE REPORTED:
DATE PRINTED:2022-05-11

PARAMETER	RESULT	UNIT	DETECTION LIMIT	METHOD REFERENCE
-----------	--------	------	-----------------	------------------

Results reported on a as is basis

* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C22129-72000

Results Authorized By:

Haifeng Song, Ph.D., C.Chem.
Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca
Additional information available upon request

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratories Inc. ("A&L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.